

NEVADA STATE BOARD
of
DENTAL EXAMINERS



BOARD TELECONFERENCE

AUGUST 24, 2016

5:45 P.M.

PUBLIC BOOK

** DO NOT REMOVE BOOK FROM OFFICE **



Nevada State Board of Dental Examiners

6010 S. Rainbow Blvd., Bldg. A, Ste. 1
Las Vegas, NV 89118
(702) 486-7044 • (800) DDS-EXAM • Fax (702) 486-7046

CONSCIOUS SEDATION INSPECTION AND EVALUATION

ON-SITE/ADMINISTRATOR SITE ONLY

ORAL EXAM
ONLY

Name of Practitioner: DR. Y	Proposed Dates: 8/5/16
Location to be Inspected:	Telephone Number:
Date of Evaluation: 8/5/16	Time of Evaluation: 8:00am

Evaluators

RECEIVED

1.	AUG - 6 2016
2.	
3.	NSBDE

INSTRUCTIONS FOR COMPLETING CONSCIOUS SEDATION ON-SITE INSPECTION AND EVALUATION FORM:

1. Prior to evaluation, review criteria and guidelines for Conscious Sedation (CS) On-Site/Administrator and Site Only Inspection and Evaluation in the Examiner Manual.
 2. Each evaluator should complete a CS On-Site/Administrator or Site Only Inspection and Evaluation form independently by checking the appropriate answer box to the corresponding question or by filling in a blank space.
 3. Answer each question. (For Site Only Inspections and Evaluations, complete sections A, B, and D)
 4. After answering all questions, each evaluator should make a separate overall "pass" or "fail" recommendation to the Board. "Fail" recommendations must be documented with a narrative explanation.
- Sign the evaluation report and return to the Board office within ten (10) days after evaluation has been completed.

A. OFFICE FACILITIES AND EQUIPMENT

	YES	NO
1. Operating Theater		
a. Is operating theater large enough to adequately accommodate the patient on a table or in an operating chair?		
b. Does the operating theater permit an operating team consisting of at least three individuals to freely move about the patient?		
2. Operating Chair or Table		
a. Does operating chair or table permit the patient to be positioned so the operating team can maintain the airway?		
b. Does operating chair or table permit the team to quickly alter the patient's position in an emergency?		
c. Does operating chair or table provide a firm platform for the management of cardiopulmonary resuscitation?		
3. Lighting System		
a. Does lighting system permit evaluation of the patient's skin and mucosal color?		
b. Is there a battery powered backup lighting system?		
c. Is backup lighting system of sufficient intensity to permit completion of any operation underway at the time of general power failure?		
4. Suction Equipment		
a. Does suction equipment permit aspiration of the oral and pharyngeal Cavities?		
b. Is there a backup suction device available which can operate at the time of General power failure?		
5. Oxygen Delivery System		
a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?		
b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?		
6. Recovery Area (Recovery area can be operating theater)		
a. Does recovery area have available oxygen?		
b. Does recovery area have available adequate suction?		
c. Does recovery area have adequate lighting?		
d. Does recovery area have available adequate electrical outlets?		

RECEIVED

AUG - 6 2016

DR. Y

NSBDE

7. Ancillary Equipment in Good Operating Condition?		YES	NO
a.	Are there oral airways?		
b.	Is there a tonsillar or pharyngeal type suction tip adaptable to all office outlets?		
c.	Is there a sphygmomanometer and stethoscope?		
d.	Is there adequate equipment for the establishment of an intravenous infusion?		
e.	Is there a pulse oximeter?		

B. RECORDS – Are the following records maintained?

1.	An adequate medical history of the patient?		
2.	An adequate physical evaluation of the patient?		
3.	Sedation records show blood pressure reading?		
4.	Sedation records show pulse reading?		
5.	Sedation records listing the drugs administered, amounts administered, and time administered?		
6.	Sedation records reflecting the length of the procedure?		
7.	Sedation records reflecting any complications of the procedure, if any?		
8.	Written informed consent of the patient, or if the patient is a minor, his or her parent or guardian's consent for sedation?		

C. DRUGS

	DRUG NAME	EXPIRES	YES	NO
1.	Vasopressor drug available?			
2.	Corticosteroid drug available?			
3.	Bronchodilator drug available?			
4.	Appropriate drug antagonists available?			

RECEIVED

AUG - 2016

NSBDE

DR. Y

	DRUG NAME	EXPIRES	YES	NO
5. Antihistaminic drug available?				
6. Anticholinergic drug available?				
7. Coronary artery vasodilator drug available?				
8. Anticonvulsant drug available?				
9. Oxygen available?				

D. DEMONSTRATION OF CONSCIOUS SEDATION

1. Who administered conscious sedation? Dentist's Name:		
2. Was sedation case demonstrated within the definition of conscious sedation?		
3. While sedated, was patient continuously monitored during the procedure with a pulse oximeter? If not, what type of monitoring was utilized?		
4. Was the patient monitored while recovering from sedation? Monitored by whom:		
5. Is this person a licensed health professional experienced in the care and resuscitation of patients recovering from conscious sedation?		
6. Were personnel competent?		
7. Are all personnel involved with the care of patients certified in basic cardiac life support?		
8. Was dentist able to perform the procedure without any action or omission that could have resulted in a life threatening situation to the patient?		
9. What was the length of the case demonstrated?		

RECEIVED

AUG - 2016

NSBDE

Dr. Y

SIMULATED EMERGENCIES -- Was dentist and staff able to demonstrate knowledge and ability in recognition and treatment of:

	YES	NO	
1. Airway obstruction laryngospasm?	X		+
2. Bronchospasm?	X		+
3. Emesis and aspiration of foreign material under anesthesia?	X		+
4. Angina pectoris?	X		+
5. Myocardial infarction?	X		+
6. Hypotension?		X	-
7. Hypertension?		X	-
8. Cardiac arrest?	X		+
9. Allergic reaction?	X		+
10. Convulsions?	X		+
11. Hypoglycemia?	X		+
12. Asthma?	X		+
13. Respiratory depression?	X		+
14. Allergy to or overdose from local anesthesia?	X		+
15. Hyperventilation syndrome?	X		+
16. Syncope?	X		+

RECEIVED

AUG - 2016

NSBDE

DR. Y

Evaluator Overall Recommendation	
<input type="checkbox"/> Pass	<input checked="" type="checkbox"/> Fail

Comments: DR WAS NOT ABLE to recognize the treatment for hypotension and WAS NOT ABLE to recognize the treatment needed for hypertension.

Signature of Evaluator

Date 8/5/16

RECEIVED
AUG - 2016
NSBDE

DR. Y



Nevada State Board of Dental Examiners
 6010 S. Rainbow Blvd., Bldg. A, Ste. 1
 Las Vegas, NV 89118
 (702) 486-7044 • (800) DDS-EXAM • Fax (702) 486-7046

RECEIVED

AUG - 5 2016

NSBDE

**CONSCIOUS SEDATION
 INSPECTION AND EVALUATION**

ON-SITE/ADMINISTRATOR **SITE ONLY**

Exam Only

Name of Practitioner:	Proposed Dates: <i>8/5/16</i>
Location to be Inspected:	Telephone Number:
Date of Evaluation: <i>8/5/16</i>	Time of Evaluation: <i>8 am</i>

Evaluators

1.	
2.	
3.	

**INSTRUCTIONS FOR COMPLETING CONSCIOUS SEDATION ON-SITE
 INSPECTION AND EVALUATION FORM:**

1. Prior to evaluation, review criteria and guidelines for Conscious Sedation (CS) On-Site/Administrator and Site Only Inspection and Evaluation in the Examiner Manual.
2. Each evaluator should complete a CS On-Site/Administrator or Site Only Inspection and Evaluation form independently by checking the appropriate answer box to the corresponding question or by filling in a blank space.
3. Answer each question. (For Site Only Inspections complete sections A, B, and C)
4. After answering all questions, each evaluator should make a separate overall "pass" or "fail" recommendation to the Board. "Fail" recommendations must be documented with a narrative explanation.
5. Sign the evaluation report and return to the Board office within ten (10) days after evaluation has been completed.

Dr. Y

E. SIMULATED SCENARIO 105 - Was dentist and staff able to demonstrate knowledge and ability in the identification and treatment of:

	YES	NO
1. Hypertension?	X	
2. Hypotension?	X	
3. Allergic reaction to any material under anesthesia?	X	
4. Dental X-rays?	X	
5. Local anesthesia?	X	
6. General anesthesia?	X	
7. Sedation?		X
8. Respiration?		X
9. Cardiac arrest?	X	
10. Allergic reaction?	X	
11. Convulsions?	X	
12. Hypoglycemia?	X	
13. Asthma?	X	
14. Respiratory depression?		X
15. Allergic to overdose from local anesthesia?		X
16. Emergent ventilation syndrome?	X	
17. Syncope?	X	

RECEIVED
 15/05/2016
 ERDE

Evaluator Overall Recommendation

Pass Fail

Comments: He had a tough time on several questions I feel he needs further study for sedation. Simple scenarios were difficult.

Signature of Evaluator

Date

8/5/16

RECEIVED

AUG - 5 2016

NSBDE

Dr. Y



Nevada State Board of Dental Examiners

6010 S. Rainbow Blvd., Bldg. A, Ste. 1
Las Vegas, NV 89118
(702) 486-7044 • (800) DDS-EXAM • Fax (702) 486-7046

GENERAL ANESTHESIA / DEEP SEDATION INSPECTION AND EVALUATION

<input type="checkbox"/> SITE/ADMINISTRATOR EVALUATION		<input checked="" type="checkbox"/> SITE ONLY INSPECTION	
Name of Practitioner: DR. Z		Proposed Dates: Aug 9 2016	
Location to be Inspected:		Telephone Number:	
Date of Evaluation: Aug 9 - 16		Time of Evaluation:	
		Start Time:	Finish Time:

Evaluators

1.
2.
3.

INSTRUCTIONS FOR COMPLETING GENERAL ANESTHESIA/DEEP SEDATION INSPECTION AND EVALUATION FORM:

1. Prior to inspection/evaluation, review criteria and guidelines for General Anesthesia (GA)/Deep Sedation (DS) Inspection and Evaluation in the Examiner Manual.
2. Each evaluator should complete a GA/DS Site/Administrator Evaluation or Site Only Inspection form independently by checking the appropriate answer box to the corresponding question or by filling in a blank space.
3. After answering all questions, each evaluator should make a separate overall "pass" or "fail" recommendation to the Board. "Fail" recommendations must be documented with a narrative explanation.
4. Sign the inspection/evaluation report and return to the Board office within ten (10) days after inspection/evaluation has been completed.

RECEIVED

AUG - 9 2016

NSBDE

SITE INSPECTION

OFFICE FACILITIES AND EQUIPMENT (NAC 631.2227) All operatories used must meet criteria.	YES	NO
1. Operating Theater		
a. Is operating theater large enough to adequately accommodate the patient on a table or in an operating chair?	✓	
b. Does the operating theater permit an operating team consisting of at least three individuals to freely move about the patient?	✓	
2. Operating Chair or Table		
a. Does operating chair or table permit the patient to be positioned so the operating team can maintain the airway?	✓	
b. Does operating chair or table permit the team to quickly alter the patient's position in an emergency?	✓	
c. Does operating chair or table provide a firm platform for the management of cardiopulmonary resuscitation?	✓	
3. Lighting System		
a. Does lighting system permit evaluation of the patient's skin and mucosal color?	✓	
b. Is there a battery powered backup lighting system?		✓
c. Is backup lighting system of sufficient intensity to permit completion of any operation underway at the time of general power failure?		/
4. Suction Equipment		
a. Does suction equipment permit aspiration of the oral and pharyngeal cavities airway?	✓	
b. Is there a backup suction device available which can operate at the time of general power failure?		/
5. Oxygen Delivery System		
a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?		/
b. Is there an adequate backup oxygen delivery system which can operate at the time of general power failure?		/
6. Recovery Area (Recovery area can be operating theater)		
a. Does recovery area have available oxygen?	X	
b. Does recovery area have available adequate suction?	✓	
c. Does recovery area have adequate lighting?	X	
d. Does recovery area have available adequate electrical outlets?	X	

AUG - 9 2016

SITE INSPECTION

OFFICE FACILITIES AND EQUIPMENT (NAC 631.2227) All operators used must meet criteria: (continued)		YES	NO
7. Ancillary Equipment <i>Must be</i> in Good Operating Condition?		YES	NO
a.	Are there oral airways?		/
b.	Is there a tonsillar or pharyngeal type suction tip adaptable to all office suction outlets?		/
c.	Is there a sphygmomanometer and stethoscope?		/
d.	Is there adequate equipment for the establishment of an intravenous infusion?		/
e.	Is there a pulse oximeter?		/
f.	A laryngoscope complete with an adequate selection of blades and spare batteries and bulbs?		/
g.	Endotracheal tubes and appropriate connectors?		/
h.	An endotracheal tube type forcep?		/
i.	An electrocardioscope and defibrillator?	X	

DRUGS	DRUG NAME	EXPIRES	YES	NO
1. Vasopressor drug available?	Epinephrine 1:1000	10/17	X	
2. Corticosteroid drug available?				/
3. Bronchodilator drug available?	ventolin	10/16	X	
4. Appropriate drug antagonists available?				/
5. Antihistaminic drug available?	Diphenhydramine	12/17	X	
6. Anticholinergic drug available?				/
7. Coronary artery vasodilator drug available?				/
8. Anticonvulsant drug available?				/
9. Oxygen available?				/
10. Muscle relaxant?				/
11. Antiarrhythmic?				/
12. Antihypertensive?				/
13. Intravenous medication for the treatment of cardiopulmonary arrest?				/

RECEIVED

AUG - 9 2016

NSBD

SITE INSPECTION

RECORDS - Are the following records maintained?	YES	NO
1. An adequate medical history of the patient?	*	
2. An adequate physical evaluation of the patient?		/
3. Anesthesia records show blood pressure reading?		/
4. Anesthesia records show pulse reading?		/
5. Anesthesia records listing the drugs administered, amounts administered, and time administered?		/
6. Anesthesia records reflecting the length of the procedure?		/
7. Anesthesia records reflecting any complications of the procedure, if any?		/
8. Written informed consent of the patient, or if the patient is a minor, his or her parent or guardian's consent for administration of anesthesia?	*	

Evaluator Overall Recommendation of Site Inspection

Pass
 Fail
 Pass Pending*

**If Pass Pending, please list all deficiencies*

Comments: The office ordered necessary equipment + supplies
but they did not come in. They will need to reschedule
once all equipment is here. They will contact office
ASAP.

 Evaluator

Aug 9 16
 Date

RECEIVED

AUG - 9 2016

NSBDE

DR. Z