# NEVADA STATE BOARD of DENTAL EXAMINERS

PUBLIC BOARD MEETING
TELECONFERENCE

MAY 7, 2015 6:00 p.m.

**PUBLIC BOOK** 



# **Nevada State Board of Dental Examiners**

6010 S. Rainbow Blvd., Bldg. A, Ste. 1 Las Vegas, NV 89118 (702) 486-7044 • (800) DDS-EXAM • Fax (702) 486-7046

# CONSCIOUS SEDATION INSPECTION AND EVALUATION ☑ON-SITE/ADMINISTRATOR ☐ SITE ONLY

Name of Practitioner:	Proposed Dates:
^	
Location to be Inspected:	Telephone Number:
Date of Evaluation:	Time of Evaluation:
1 1	
Evaluators	_
1.	
2.	
3.	

# INSTRUCTIONS FOR COMPLETING CONSCIOUS SEDATION ON-SITE INSPECTION AND EVALUATION FORM:

- 1. Prior to evaluation, review criteria and guidelines for Conscious Sedation (CS) On-Site/Administrator and Site Only Inspection and Evaluation in the Examiner Manual.
- 2. Each evaluator should complete a CS On-Site/Administrator or Site Only Inspection and Evaluation form independently by checking the appropriate answer box to the corresponding question or by filling in a blank space.
- 3. Answer each question. (For Site Only Inspections and Evaluations, complete sections A, B, and D)
- 4. After answering all questions, each evaluator should make a separate overall "pass" or "fail" recommendation to the Board. "Fail" recommendations must be documented with a narrative explanation.
  - Sign the evaluation report and return to the Board office within ten (10) days after evaluation has been completed.

APR 2 4 2015

WSBDE

# A. OFFICE FACILITIES AND EQUIPMENT

1. Operating Theater a. Is operating theater large enough to adequately accommodate the patient on a table or in an operating chair? b. Does the operating theater permit an operating team consisting of at least three individuals to freely move about the patient?  2. Operating Chair or Table a. Does operating chair or table permit the patient to be positioned so the operating team can maintain the airway? b. Does operating chair or table permit the team to quickly alter the patient's position in an emergency? c. Does operating chair or table provide a firm platform for the management of cardiopulmonary resuscitation? 3. Lighting System a. Does lighting system permit evaluation of the patient's skin and mucosal color? b. Is there a battery powered backup lighting system?  c. Is backup lighting system of sufficient intensity to permit completion of any operation underway at the time of general power failure?  4. Suction Equipment a. Does suction equipment permit aspiration of the oral and pharyngeal Cavities? b. Is there a backup suction device available which can operate at the time of General power failure?  5. Oxygen Delivery System a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure? b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater) a. Does recovery area have available oxygen?  b. Does recovery area have available adequate suction?  c. Does recovery area have available adequate electrical outlets?	1 Onesesting Theorem	T	
on a table or in an operating chair?  b. Does the operating theater permit an operating team consisting of at least three individuals to freely move about the patient?  2. Operating Chair or Table  a. Does operating chair or table permit the patient to be positioned so the operating team can maintain the airway?  b. Does operating chair or table permit the team to quickly alter the patient's position in an emergency?  c. Does operating chair or table provide a firm platform for the management of cardiopulmonary resuscitation?  3. Lighting System  a. Does lighting system permit evaluation of the patient's skin and mucosal color?  b. Is there a battery powered backup lighting system?  c. Is backup lighting system of sufficient intensity to permit completion of any operation underway at the time of general power failure?  4. Suction Equipment  a. Does suction equipment permit aspiration of the oral and pharyngeal Cavities?  b. Is there a backup suction device available which can operate at the time of General power failure?  5. Oxygen Delivery System  a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?  b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater)  a. Does recovery area have available adequate suction?  c. Does recovery area have available adequate suction?		YES	NO
b. Does the operating theater permit an operating team consisting of at least three individuals to freely move about the patient?  2. Operating Chair or Table a. Does operating chair or table permit the patient to be positioned so the operating team can maintain the airway? b. Does operating chair or table permit the team to quickly alter the patient's position in an emergency? c. Does operating chair or table provide a firm platform for the management of cardiopulmonary resuscitation?  3. Lighting System a. Does lighting system permit evaluation of the patient's skin and mucosal color? b. Is there a battery powered backup lighting system?  c. Is backup lighting system of sufficient intensity to permit completion of any operation underway at the time of general power failure?  4. Suction Equipment a. Does suction equipment permit aspiration of the oral and pharyngeal Cavities? b. Is there a backup suction device available which can operate at the time of General power failure?  5. Oxygen Delivery System a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure? b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater) a. Does recovery area have available adequate suction?  c. Does recovery area have available adequate suction?			
three individuals to freely move about the patient?  2. Operating Chair or Table  a. Does operating chair or table permit the patient to be positioned so the operating team can maintain the airway?  b. Does operating chair or table permit the team to quickly alter the patient's position in an emergency?  c. Does operating chair or table provide a firm platform for the management of cardiopulmonary resuscitation?  3. Lighting System  a. Does lighting system permit evaluation of the patient's skin and mucosal color?  b. Is there a battery powered backup lighting system?  c. Is backup lighting system of sufficient intensity to permit completion of any operation underway at the time of general power failure?  4. Suction Equipment  a. Does suction equipment permit aspiration of the oral and pharyngeal Cavities?  b. Is there a backup suction device available which can operate at the time of General power failure?  5. Oxygen Delivery System  a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?  b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater)  a. Does recovery area have available adequate suction?  c. Does recovery area have available adequate suction?		<u> </u>	<del> </del>
2. Operating Chair or Table  a. Does operating chair or table permit the patient to be positioned so the operating team can maintain the airway?  b. Does operating chair or table permit the team to quickly alter the patient's position in an emergency?  c. Does operating chair or table provide a firm platform for the management of cardiopulmonary resuscitation?  3. Lighting System  a. Does lighting system permit evaluation of the patient's skin and mucosal color?  b. Is there a battery powered backup lighting system?  c. Is backup lighting system of sufficient intensity to permit completion of any operation underway at the time of general power failure?  4. Suction Equipment  a. Does suction equipment permit aspiration of the oral and pharyngeal Cavities?  b. Is there a backup suction device available which can operate at the time of General power failure?  5. Oxygen Delivery System  a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?  b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater)  a. Does recovery area have available oxygen?  b. Does recovery area have available adequate suction?	three individuals to freely move about the natient?	<b>/</b>	
a. Does operating chair or table permit the patient to be positioned so the operating team can maintain the airway?  b. Does operating chair or table permit the team to quickly alter the patient's position in an emergency?  c. Does operating chair or table provide a firm platform for the management of cardiopulmonary resuscitation?  3. Lighting System  a. Does lighting system permit evaluation of the patient's skin and mucosal color?  b. Is there a battery powered backup lighting system?  c. Is backup lighting system of sufficient intensity to permit completion of any operation underway at the time of general power failure?  4. Suction Equipment  a. Does suction equipment permit aspiration of the oral and pharyngeal Cavities?  b. Is there a backup suction device available which can operate at the time of General power failure?  5. Oxygen Delivery System  a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?  b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater)  a. Does recovery area have available adequate suction?  c. Does recovery area have available adequate suction?			<del> </del>
b. Does operating chair or table permit the team to quickly alter the patient's position in an emergency?  c. Does operating chair or table provide a firm platform for the management of cardiopulmonary resuscitation?  3. Lighting System  a. Does lighting system permit evaluation of the patient's skin and mucosal color?  b. Is there a battery powered backup lighting system?  c. Is backup lighting system of sufficient intensity to permit completion of any operation underway at the time of general power failure?  4. Suction Equipment  a. Does suction equipment permit aspiration of the oral and pharyngeal Cavities?  b. Is there a backup suction device available which can operate at the time of General power failure?  5. Oxygen Delivery System  a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?  b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater)  a. Does recovery area have available adequate suction?  c. Does recovery area have available adequate suction?		<u> </u>	<del> </del>
position in an emergency?  c. Does operating chair or table provide a firm platform for the management of cardiopulmonary resuscitation?  3. Lighting System  a. Does lighting system permit evaluation of the patient's skin and mucosal color?  b. Is there a battery powered backup lighting system?  c. Is backup lighting system of sufficient intensity to permit completion of any operation underway at the time of general power failure?  4. Suction Equipment  a. Does suction equipment permit aspiration of the oral and pharyngeal Cavities?  b. Is there a backup suction device available which can operate at the time of General power failure?  5. Oxygen Delivery System  a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?  b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater)  a. Does recovery area have available adequate suction?  c. Does recovery area have available adequate suction?	operating team can maintain the airway?	~	
c. Does operating chair or table provide a firm platform for the management of cardiopulmonary resuscitation?  3. Lighting System  a. Does lighting system permit evaluation of the patient's skin and mucosal color?  b. Is there a battery powered backup lighting system?  c. Is backup lighting system of sufficient intensity to permit completion of any operation underway at the time of general power failure?  4. Suction Equipment  a. Does suction equipment permit aspiration of the oral and pharyngeal Cavities?  b. Is there a backup suction device available which can operate at the time of General power failure?  5. Oxygen Delivery System  a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?  b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater)  a. Does recovery area have available adequate suction?  c. Does recovery area have adequate lighting?		/	
of cardiopulmonary resuscitation?  3. Lighting System  a. Does lighting system permit evaluation of the patient's skin and mucosal color?  b. Is there a battery powered backup lighting system?  c. Is backup lighting system of sufficient intensity to permit completion of any operation underway at the time of general power failure?  4. Suction Equipment  a. Does suction equipment permit aspiration of the oral and pharyngeal Cavities?  b. Is there a backup suction device available which can operate at the time of General power failure?  5. Oxygen Delivery System  a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?  b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater)  a. Does recovery area have available adequate suction?  c. Does recovery area have available adequate suction?			
a. Does lighting system permit evaluation of the patient's skin and mucosal color?  b. Is there a battery powered backup lighting system?  c. Is backup lighting system of sufficient intensity to permit completion of any operation underway at the time of general power failure?  4. Suction Equipment  a. Does suction equipment permit aspiration of the oral and pharyngeal Cavities?  b. Is there a backup suction device available which can operate at the time of General power failure?  5. Oxygen Delivery System  a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?  b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater)  a. Does recovery area have available adequate suction?  c. Does recovery area have adequate lighting?	c. Does operating chair or table provide a firm platform for the management of cardiopulmonary resuscitation?	/	
a. Does lighting system permit evaluation of the patient's skin and mucosal color?  b. Is there a battery powered backup lighting system?  c. Is backup lighting system of sufficient intensity to permit completion of any operation underway at the time of general power failure?  4. Suction Equipment  a. Does suction equipment permit aspiration of the oral and pharyngeal Cavities?  b. Is there a backup suction device available which can operate at the time of General power failure?  5. Oxygen Delivery System  a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?  b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater)  a. Does recovery area have available adequate suction?  c. Does recovery area have adequate lighting?		<del></del>	+
b. Is there a battery powered backup lighting system?  c. Is backup lighting system of sufficient intensity to permit completion of any operation underway at the time of general power failure?  4. Suction Equipment  a. Does suction equipment permit aspiration of the oral and pharyngeal Cavities?  b. Is there a backup suction device available which can operate at the time of General power failure?  5. Oxygen Delivery System  a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?  b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater)  a. Does recovery area have available oxygen?  c. Does recovery area have adequate lighting?	a. Does lighting system permit evaluation of the patient's skin and mucosal	1	
c. Is backup lighting system of sufficient intensity to permit completion of any operation underway at the time of general power failure?  4. Suction Equipment  a. Does suction equipment permit aspiration of the oral and pharyngeal Cavities?  b. Is there a backup suction device available which can operate at the time of General power failure?  5. Oxygen Delivery System  a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?  b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater)  a. Does recovery area have available oxygen?  b. Does recovery area have available adequate suction?  c. Does recovery area have adequate lighting?		-	<del></del>
operation underway at the time of general power failure?  4. Suction Equipment  a. Does suction equipment permit aspiration of the oral and pharyngeal Cavities?  b. Is there a backup suction device available which can operate at the time of General power failure?  5. Oxygen Delivery System  a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?  b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater)  a. Does recovery area have available oxygen?  b. Does recovery area have available adequate suction?			
<ul> <li>4. Suction Equipment <ul> <li>a. Does suction equipment permit aspiration of the oral and pharyngeal Cavities?</li> <li>b. Is there a backup suction device available which can operate at the time of General power failure?</li> </ul> </li> <li>5. Oxygen Delivery System <ul> <li>a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?</li> <li>b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?</li> <li>6. Recovery Area (Recovery area can be operating theater)</li> <li>a. Does recovery area have available oxygen?</li> <li>b. Does recovery area have available adequate suction?</li> <li>c. Does recovery area have adequate lighting?</li> </ul> </li> </ul>	c. Is backup lighting system of sufficient intensity to permit completion of any	V	1
<ul> <li>a. Does suction equipment permit aspiration of the oral and pharyngeal Cavities?</li> <li>b. Is there a backup suction device available which can operate at the time of General power failure?</li> <li>5. Oxygen Delivery System</li> <li>a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?</li> <li>b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?</li> <li>6. Recovery Area (Recovery area can be operating theater)</li> <li>a. Does recovery area have available oxygen?</li> <li>b. Does recovery area have available adequate suction?</li> <li>c. Does recovery area have adequate lighting?</li> </ul>			
Cavities?  b. Is there a backup suction device available which can operate at the time of General power failure?  5. Oxygen Delivery System  a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?  b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater)  a. Does recovery area have available oxygen?  b. Does recovery area have available adequate suction?			
b. Is there a backup suction device available which can operate at the time of General power failure?  5. Oxygen Delivery System  a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?  b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater)  a. Does recovery area have available oxygen?  b. Does recovery area have available adequate suction?  c. Does recovery area have adequate lighting?	a. Does suction equipment permit aspiration of the oral and pharyngeal  Cavities?		
<ul> <li>5. Oxygen Delivery System</li> <li>a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?</li> <li>b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?</li> <li>6. Recovery Area (Recovery area can be operating theater)</li> <li>a. Does recovery area have available oxygen?</li> <li>b. Does recovery area have available adequate suction?</li> <li>c. Does recovery area have adequate lighting?</li> </ul>	b. Is there a backup suction device available which can operate at the time of		<del>                                     </del>
<ul> <li>a. Does oxygen delivery system have adequate full face masks and appropriate connectors and is capable of delivering oxygen to the patient under positive pressure?</li> <li>b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?</li> <li>6. Recovery Area (Recovery area can be operating theater)</li> <li>a. Does recovery area have available oxygen?</li> <li>b. Does recovery area have available adequate suction?</li> <li>c. Does recovery area have adequate lighting?</li> </ul>	<del></del>		
connectors and is capable of delivering oxygen to the patient under positive pressure?  b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater)  a. Does recovery area have available oxygen?  b. Does recovery area have available adequate suction?  c. Does recovery area have adequate lighting?			
b. Is there an adequate backup oxygen delivery system which can operate at the Time of general power failure?  6. Recovery Area (Recovery area can be operating theater)  a. Does recovery area have available oxygen?  b. Does recovery area have available adequate suction?  c. Does recovery area have adequate lighting?	connectors and is capable of delivering oxygen to the patient under positive	/	
Time of general power failure?  6. Recovery Area (Recovery area can be operating theater)  a. Does recovery area have available oxygen?  b. Does recovery area have available adequate suction?  c. Does recovery area have adequate lighting?		<del>                                     </del>	<u> </u>
a. Does recovery area have available oxygen?  b. Does recovery area have available adequate suction?  c. Does recovery area have adequate lighting?	Time of general power failure?		
a. Does recovery area have available oxygen?  b. Does recovery area have available adequate suction?  c. Does recovery area have adequate lighting?	6. Recovery Area (Recovery area can be operating theater)		<del> </del>
c. Does recovery area have adequate lighting?		/	
	b. Does recovery area have available adequate suction?	V	
d. Does recovery area have available adequate electrical outlets?	c. Does recovery area have adequate lighting?	/	
, the state of the	d. Does recovery area have available adequate electrical outlets?		

Received APR 2 4 2015 NSBDE

7.	Ancillary Equipment in Good Operating Condition?	YES	NO
a.	Are there oral airways?	V	
ъ.	Is there a tonsilar or pharyngeal type suction tip adaptable to all office outlets?	<b>V</b>	
c.	Is there a sphygmomanometer and stethoscope?	V	
d.	Is there adequate equipment for the establishment of an intravenous infusion?		
e.	Is there a pulse oximeter?		

# B. RECORDS – Are the following records maintained?

1.	An adequate medical history of the patient?	·	
2.	An adequate physical evaluation of the patient?		
3.	Sedation records show blood pressure reading?	~	
4.	Sedation records show pulse reading?		
5.	Sedation records listing the drugs administered, amounts administered, and time administered?		-
6.	Sedation records reflecting the length of the procedure?		
7.	Sedation records reflecting any complications of the procedure, if any?		
8.	Written informed consent of the patient, or if the patient is a minor, his or her parent or guardian's consent for sedation?		

## ACLS CHAMS 815

### C. DRUGS

	DRUG NAME	EXPIRES	YES	NO
1. Vasopressor drug available?	CPINEARNIE	Slice		
2. Corticosteroid drug available?	DETALETHASONE	16 15	-	
3. Bronchodilator drug available?	ALBURGEUL	3/16	レ	
<ol><li>Appropriate drug antagonists available?</li></ol>	FLUMPZIPOIL NALOKONE	(0) 160 160 160	<u></u>	Rece

APR 2 4 2015

		DRUG NAME	EXPIRES	YES	NO
5.	Antihistaminic drug available?	DipHEN HUDDER WAS	ઉ((પ્	~	
6.	Anticholinergic drug available?	ATROPIUSE	12/15	-	<del> </del>
7.	Coronary artery vasodilator drug available?	100 5TH	S(17	<i>ح</i>	
8.	Anticonvulsant drug available?	UENSED	3/16	~	
9.	Oxygen available?	TANK FULL			

### D. DEMONSTRATION OF CONSCIOUS SEDATION

1	Who administered conscious sedation?  Dentist's Name: Ok	
	Was sedation case demonstrated within the definition of conscious sedation?	
3.	While sedated, was patient continuously monitored during the procedure with a pulse oximeter?  If not, what type of monitoring was utilized?	
4.	Was the patient monitored while recovering from sedation?  Monitored by whom: Staff -	
5.	Is this person a licensed health professional experienced in the care and resuscitation of patients recovering from conscious sedation?	
6.	Were personnel competent?	
7.	Are all personnel involved with the care of patients certified in basic cardiac life support?	
8.	Was dentist able to perform the procedure without any action or omission that could have resulted in a life threatening situation to the patient?	
9.	What was the length of the case demonstrated?	20412

NEED TO UERIFY BLS CAND FOR DR

Received APR 2 4 2015

NSBDE

# E. SIMULATED EMERGENCIES – Was dentist and staff able to demonstrate knowledge and ability in recognition and treatment of:

		YES	NO	
1	Airway obstruction laryngospasm?			
2	Bronchospasm?			
3.	Emesis and aspiration of foreign material under anesthesia?			
4.	Angina pectoris?			
5.	Myocardial infarction?		~	-GAUÉ EAI AT
6.	Hypotension?	سر:		This stack Arior to
7.	Hypertension?	سي		ARREST
8.	Cardiac arrest?		i,	-REQUIRES
9.	Allergic reaction?	س		CEAAIN6
10.	Convulsions?	~		
11.	Hypoglycemia?	-		
12.	Asthma?			~
13.	Respiratory depression?		<u></u>	-DIONIT K REVERSA
14.	Allergy to or overdose from local anesthesia?			OOSAGES
15.	Hyperventilation syndrome?	~	-	GAUE STEALONAS
16.	Syncope?	u	<del>                                     </del>	WHEN WE

Evalu	ator Overall	Recommendation	
	Pass	Fail	
_		•	

Comments: ADUISE RETESTIONS	FOR USER PERMIT PORTION
OF ASSESSMENT.	-ANDIANTE HAD SOME
DIFFICULTY AXCESSING	10 AND DRAWING UP SOME
MEDICATIONS. HAY DIFF	cuity for GAUE INCORRECT
MINTENEST FLEORYTH	48 FOR MYDINA INFARCTION
CARDIAE ARREST, LOCAL	AWESTHETIC ALLENGY OVERDOSE
AND RESILITORY DEALES	NOW WAS WARRE TO GIVE
EMERGENCY MEDICATION, DOS	AGES IN MANY CASES
Signature of Evaluator	

I WOULD ENCOURSE CANDATE TO TAKE A

SECUTION REVIEW COURSE WITH MEDICAL

EMERGENCIES MANAGEMENT. I FEEL HE COULD

GET A SIGNIFICANT BENSEFIT FORM 17. Received

APR 1 & 2015

NSBDE

AN EXAMPLE OF A COURTS HE MAY WANT TO THINK ABOUT.

IS THE AMERICAN DESTAL SOCIETY OF ANESTHESIOLOGY - MINTHAL/

MODERATE SEATION REVIEW COURSE WHICH IS 2 DAYS.

I FEEL A MINIMUM OF A 14-16 HOUR COURSE THE 15 A COMPREHENSIVE REVIEW WOUND BE BENEFITAN



# **Nevada State Board of Dental Examiners**

6010 S. Rainbow Blvd., Bldg. A, Ste. 1 Las Vegas, NV 89118 (702) 486-7044 • (800) DDS-EXAM • Fax (702) 486-7046

# CONSCIOUS SEDATION INSPECTION AND EVALUATION ✓ON-SITE/ADMINISTRATOR ☐ SITE ONLY

Name of Practitioner:	Proposed Dates:
Location to be Inspected:	Telephone Number:
Date of Evaluation:	Time of Evaluation:
Evaluators	
1	
2.	
3.	

# INSTRUCTIONS FOR COMPLETING CONSCIOUS SEDATION ON-SITE INSPECTION AND EVALUATION FORM:

- 1. Prior to evaluation, review criteria and guidelines for Conscious Sedation (CS) On-Site/Administrator and Site Only Inspection and Evaluation in the Examiner Manual.
- Each evaluator should complete a CS On-Site/Administrator or Site Only Inspection and Evaluation form independently by checking the appropriate answer box to the corresponding question or by filling in a blank space.
- 3. Answer each question. (For Site Only Inspections complete sections A, B, and C)
- 4. After answering all questions, each evaluator should make a separate overall "pass" or "fail" recommendation to the Board. "Fail" recommendations must be documented with a narrative explanation.
- 5. Sign the evaluation report and return to the Board office within ten (10) days after evaluation has been completed.

Received

APR 2 4 2015

# A. OFFICE FACILITIES AND EQUIPMENT

<u> </u>	Operating Theater	YES	NO
	a. Is operating theater large enough to adequately accommodate the patient		
L	on a table or in an operating chair?	V	
1	b. Does the operating theater permit an operating team consisting of at least		<del> </del>
	three individuals to freely move about the patient?	V	
2.	Operating Chair or Table		_
a	Does operating chair or table permit the patient to be positioned so the	1	<del>                                     </del>
<u> </u>	operating team can maintain the airway?	V	
b	. Does operating chair or table permit the team to quickly alter the patient's		<del> </del>
ĺ	position in an emergency?	V	
C.	Does operating chair or table provide a firm platform for the management		-
	of cardiopulmonary resuscitation?	V	
3.	Lighting System	<u> </u>	<del> </del>
a.	Does lighting system permit evaluation of the patient's skin and mucosal		<del> </del>
	color?	V	
b.	Is there a battery powered backup lighting system?		
	the second of	$\vee$	].
c.	Is backup lighting system of sufficient intensity to permit completion of any		
	operation underway at the time of general power failure?	سا	
4.	Suction Equipment		
a.			<del> </del>
	Cavities?	V	
b.	Is there a backup suction device available which can operate at the time of	/	<del> </del>
	General power failure?	√·	
5.	Oxygen Delivery System		<del> </del>
a.			<u> </u>
	connectors and is capable of delivering oxygen to the patient under positive	1/	
	pressure?	\ \(\nu_{\cdots}\)	
b.	Is there an adequate backup oxygen delivery system which can operate at the		
	Time of general power failure?	<b>1</b> /	
6. J	Recovery Area (Recovery area can be operating theater)		
a.	Does recovery area have available oxygen?		<del> </del>
	and arminoto on Jeoit.	V	
b.	Does recovery area have available adequate suction?	1	<del>                                     </del>
	and the second s		
c.	Does recovery area have adequate lighting?		
•		V	
d.	Does recovery area have available adequate electrical outlets?		ļ .
4.	2321100 toty area have available adequate electrical outlets?	V	



Ancillary Equipment in Good Operating Condition?	YES	NO
a. Are there oral airways?	V	
b. Is there a tonsilar or pharyngeal type suction tip adaptable to all office outlets?	V	
c. Is there a sphygmomanometer and stethoscope?		<u> -</u> -
d. Is there adequate equipment for the establishment of an intravenous infusion?	V	
e. Is there a pulse oximeter?		-

# B. RECORDS - Are the following records maintained?

1.	An adequate medical history of the patient?	V	
_ 2	An adequate physical evaluation of the patient?		
3.	Sedation records show blood pressure reading?		
4.	Sedation records show pulse reading?	V	
5.	Sedation records listing the drugs administered, amounts administered, and time administered?		<del></del>
6.	Sedation records reflecting the length of the procedure?		
7.	Sedation records reflecting any complications of the procedure, if any?		
8.	Written informed consent of the patient, or if the patient is a minor, his or her parent or guardian's consent for sedation?	V	<del></del>

### C. DRUGS

	DRUG NAME	EXPIRES	YES	NO
1. Vasopressor drug available?	EPWEPHRONE	5-2016	·/	
2. Corticosteroid drug available?	DELAMETHISONE	10.2015	1	1
3. Bronchodilator drug available?	AL RUTCROL	3246	~	
<ol><li>Appropriate drug antagonists available?</li></ol>	FLUMMETNEL NALOZONÓ	(-2016 6-2016		

	DRUG NAME	EXPIRES	YES	NO
5. Antihistaminic drug available?	DIFHENHYORAMWE	8.2016	<b>V</b>	
6. Anticholinergic drug available?	ATROPINE	12-2015	V	<u> </u>
7. Coronary artery vasodilator drug available?	Notrosiat	5-2017	<b>√</b>	
8. Anticonvulsant drug available?	MIDNZOLNM	3.2016	√.	
9. Oxygen available?	01		1	-
			<u> </u>	<u> </u>

# D. DEMONSTRATION OF CONSCIOUS SEDATION

1. Who adm Dentist's	inistered conscious sedation?	<u> </u>	
	tion case demonstrated within the definition of conscious		
with a pul  If not, wh	ated, was patient continuously monitored during the procedure se oximeter?  at type of monitoring was utilized?	V	_
Monitored	atient monitored while recovering from sedation?  by whom:	V	
<ol><li>Is this per resuscitati</li></ol>	son a licensed health professional experienced in the care and on of patients recovering from conscious sedation?		
6. Were pers	onnel competent?	V	
cardiac life		V	
8. Was denti- that could	st able to perform the procedure without any action or omission have resulted in a life threatening situation to the patient?		
9. What was	the length of the case demonstrated?		

vary has

Received 11th

E. SIMULATED EMERGENCIES – Was dentist and staff able to demonstrate knowledge and ability in recognition and treatment of:

	YES	NO
1. Airway obstruction laryngospasm?	V	
2. Bronchospasm?	V	
3. Emesis and aspiration of foreign material under anesthesia?		
4. Angina pectoris?	V	
5. Myocardial infarction?  EP= (have EPS	<del> </del>	
6. Hypotension?	1	
7. Hypertension?	/	
8. Cardiac arrest? Mエジロテルんい Pらよら		V
9. Allergic reaction?		-
10. Convulsions?	1	i
11. Hypoglycemia?		
12. Asthma?	/	
13. Respiratory depression?  Dep not know Roversals		/
14. Allergy to or overdose from local anesthesia?  MESMANNAG MENT STUKEN		
15. Hyperventilation syndrome?	/	
16. Syncope?	~	

Received APR 2 4 2015 NSBDE

	Pass Fail
	Comments: DOCTOR CONLY NOT DRAW MEDS FROM VIAL LT 45
	MANAGES THE STORTERYS DR IS ADVISED TO ROTEST ADMINISTRATION
)eal	AFTER THEN A SODATION/ EMORIDONLY ROVER
	\$1gnature of Evaluator Date

Received

NPR 2 1, 2015

NPR 2 1, 2015